

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2181	(524/495).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/08/20 17:41
S1	8	((("20030139523") or ("20030055169") or ("6403720") or ("20010051685")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/08/07 13:29
S2	120	naoya.in. near2 amino.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/08/07 15:10
S3	24	misao.in. near2 hiza.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/08/07 15:18
S4	61	takashi.in. near2 shirokawa.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/08/07 15:18
S5	6	takashi.in. near2 shirokawa.in.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/08/07 15:23
S6	130	masao.in. near2 nakamura.in.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/08/07 15:24
S7	50	(masao.in. near2 nakamura.in.) and rubber	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/08/07 15:27
S8	2	("6649724").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/08/07 15:33

## EAST Search History

S9	579	koichi.in. near2 endo.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/08/07 15:33
S10	55	koichi.in. near2 endo.in.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/08/07 15:33
S11	14	(koichi.in. near2 endo.in.) and rubber	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/08/07 15:34
S12	2	thick undertread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/08/07 16:01
S13	612	undertread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/08/07 16:22
S14	9	undertread with (mm or millimeter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/08/07 16:06
S15	23	undertread same (mm or millimeter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/08/07 16:06
S16	2245	flexible segment	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/08/07 16:25
S17	15864	reinforcing layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/08/07 16:34

## EAST Search History

S18	2623	reinforcing layer same tire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/08/07 16:35
S19	153	reinforcing layer and high hardness	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/08/07 16:35
S20	52	reinforcing layer same high hardness	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/08/07 16:37
S21	31	(reinforcing layer same high hardness)-and tire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2007/08/07 16:46
S22	9	("1291369").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/08/07 16:46
S23	1105	tire tread and rubber and glass transition temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	OFF	2007/08/20 11:12
S24	786	tire tread and rubber same glass transition temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	OFF	2007/08/20 11:12
S25	506	tire tread and rubber with glass transition temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	OFF	2007/08/20 11:12

## EAST Search History

S26	437	tire tread and rubber composition and rubber with glass transition temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	OFF	2007/08/20 11:14
S27	1	tire tread and rubber composition and rubber gel with glass transition temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	OFF	2007/08/20 11:15
S28	1	tire tread and rubber gel same glass transition temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	OFF	2007/08/20 11:15
S29	15	rubber gel same glass transition temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	OFF	2007/08/20 11:15